GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – Water Resources Department - Case under the Prevention of Corruption Act, 1988 against Sri P.Veera Reddy, Deputy Executive Engineer, Irrigation Branch, Tadipatri Sub-Division, – Ananthapuramu District – Trapped on 15.03.2018 - Departmental Action initiated – Articles of Charges – Issued.

WATER RESOURCES (VIGILANCE-II/A2) DEPARTMENT

G.O.Rt.No.28 Dated:18.01.2024.

ORDER:

It is proposed to hold an inquiry against Sri P.Veera Reddy, Deputy Executive Engineer, Irrigation Branch, Tadipatri Sub-Division, Ananthapuram District in accordance with the procedure laid down in Rule-20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehaviour in respect of which the inquiry is proposed to be held is set-out in the enclosed statement of articles of charges (Annexure-I). A statement of imputations of misconduct or misbehaviour in support of each article of charge is enclosed (Annexure-II). A list of witnesses by whom, and a list of documents by which, the articles of charge are proposed to be sustained are also enclosed (Annexure III and IV).

3. Sri P.Veera Reddy, Deputy Executive Engineer, Irrigation Branch, Tadipatri Sub-Division, Ananthapuram District is directed to submit a written statement of his defense within 10 days of the receipt of this order.

4. Sri P.Veera Reddy, Deputy Executive Engineer, Irrigation Branch, Tadipatri Sub-Division, Ananthapuram District is informed that an inquiry will be held only in respect of those articles of charge as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri P.Veera Reddy, Deputy Executive Engineer, Irrigation Branch, Tadipatri Sub-Division, Ananthapuram District is further informed that if he does not submit his written statement of defense on or before the date specified in para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Andhra Pradesh Civil Services (CC&A) Rules, 1991 or the orders issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex -parte.

6. Attention of Sri P.Veera Reddy, Deputy Executive Engineer, Irrigation Branch, Tadipatri Sub-Division, Ananthapuram District is invited to Rule 24 of the A.P.Civil Services (Conduct) Rules, 1964, under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt with these proceedings it will be presumed that Sri P.Veera Reddy, Deputy Executive Engineer, Irrigation Branch, Tadipatri Sub-Division, Ananthapuram District is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule 24 of the A.P. Civil Service (Conduct) Rules, 1964.

7. The Engineer-in-Chief (AW), Water Resources Department, Vijayawada, is requested to communicate the date of acknowledgement of Accused Officer immediately.

8. The receipt of the G.O. may please be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri P.Veera Reddy, Deputy Executive Engineer, Irrigation Branch, Tadipatri Sub-Division, Ananthapuram District (**through** the Engineer-in-Chief(AW), Water Resources Department, A.P., Vijayawada)
The Engineer-in-Chief(AW), Water Resources Department, A.P., Vijayawada
Copy to:

The Director General, Anti-Corruption Bureau, A.P., Headquarters Office, 2nd Floor, N.T.R. Admn. Block, Pandit Nehru Bus Station, Vijayawada-520001.
The Secretary to Vigilance Commission, APVC, A.P. Secretariat, Amaravati.
SF/SCs.

//FORWARDED::BY ORDER//

SECTION OFFICER